

SAFETY DATA SHEET EVOLUTION EV3 SURFACE CLEANER & SANITIZER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name EVOLUTION EV3 SURFACE CLEANER & SANITIZER

Internal identification EV3, EV3/1000, EVF3

Container size 2x1.5L, 3x1L, 6x750ml HD Refill Flask

UFI: RCA1-90CU-G00G-W0PG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent. Sanitizer.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

Neville House Beaumont Road Banbury

- - - - - · · ·

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms







Signal word

Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EVOLUTION EV3 SURFACE CLEANER & SANITIZER

Precautionary statements P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

Contains ALCOHOLS, C12-C14, ETHOXYLATED, QUATERNARY AMMONIUM COMPOUNDS,

BENZYL (C12 - C16) ALKYL DIMETHYL, CHLORIDES, 1,2-BENZISOTHIAZOL-3(2H)-ONE,

2-METHYLISOTHIAZOL-3(2H)-ONE

Detergent labelling Contains BRONOPOL (INN)

Supplementary precautionary

statements

P260 Do not breathe vapour/ spray. P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/ doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALCOHOLS, C12-C14, ETHOXYLATED

10-30%

CAS number: 68439-50-9 EC number: 500-213-3

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

β-ALANINE, N-(2-CARBOXYETHYL)-, N-COCO ALKYL

5-10%

DERIV., DISODIUM SALT

Classification

Eye Irrit. 2 - H319

EVOLUTION EV3 SURFACE CLEANER & SANITIZER

2-(2-BUTOXYETHOXY)ETHANOL 5-10%

CAS number: 112-34-5 EC number: 203-961-6 REACH registration number: 01-

2119475104-44-XXXX

Classification

Eye Irrit. 2 - H319

QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12

1-5%

- C16) ALKYL DIMETHYL, CHLORIDES

Classification

Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

BRONOPOL (INN) <1%

CAS number: 52-51-7 EC number: 200-143-0 REACH registration number: 01-

2119980938-15-XXXX

M factor (Acute) = 10

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312

Acute Tox. 3 - H331

Skin Irrit. 2 - H315

Eye Dam. 1 - H318

STOT SE 3 - H335

Aquatic Acute 1 - H400

Aquatic Chronic 2 - H411

2-METHYLISOTHIAZOL-3(2H)-ONE <1%

Classification

Acute Tox. 3 - H301

Acute Tox. 3 - H311

Acute Tox. 2 - H330

Skin Corr. 1B - H314

Eye Dam. 1 - H318

Skin Sens. 1A - H317

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

1,2-BENZISOTHIAZOL-3(2H)-ONE

<1%

CAS number: 2634-33-5 EC number: 220-120-9

M factor (Acute) = 1

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If spray/mist has been inhaled, proceed as follows. Remove person to fresh air and keep

comfortable for breathing. Keep affected person under observation. Get medical attention if

symptoms are severe or persist.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Give

milk instead of water if readily available. Get medical attention if symptoms are severe or

persist. Get medical attention if a large quantity has been ingested.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if

symptoms are severe or persist after washing. In the event of any sensitisation symptoms

developing, ensure further exposure is avoided.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

General information May produce an allergic reaction.

Inhalation The product is considered to be a low hazard under normal conditions of use.

Ingestion Harmful if swallowed.

Skin contact May cause serious chemical burns to the skin.

Eye contact May cause serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

None known.

media

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Corrosive gases or vapours.

EVOLUTION EV3 SURFACE CLEANER & SANITIZER

5.3. Advice for firefighters

Protective actions during

firefighting

Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or

vapours.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing

conforming to European standard EN469 (including helmets, protective boots and gloves) will

provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may

become slippery. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment. The product contains a substance which is

harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic

environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area

with plenty of water. Avoid contamination of ponds or watercourses with washing down water. Allow small quantities to evaporate to the atmosphere in a safe, open place. Discharge of

small quantities to the sewer with plenty of water may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid breathing spray. Avoid contact with eyes and prolonged

skin contact. Avoid release to the environment. Container must be kept tightly closed when

not in use.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from food and drink. Keep only in the original container. Keep container tightly

sealed when not in use.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide

(PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³ Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

EVOLUTION EV3 SURFACE CLEANER & SANITIZER

Protective equipment





Personal protection Avoid breathing spray or mist.

Eye/face protection Wear eye protection.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. To protect hands from

chemicals, gloves should comply with European Standard EN374. Wear protective gloves made of the following material: Nitrile rubber. Rubber (natural, latex). Wear protective

gauntlets made of the following material: Polyvinyl chloride (PVC).

Hygiene measures Wash hands thoroughly after handling.

Respiratory protection Respiratory protection may be required if excessive airborne contamination occurs.

Respiratory protection must be used if the airborne contamination exceeds the recommended

occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Red.

Odour Floral.

pH pH (concentrated solution): 7 - 8

Initial boiling point and range 100°C @ 760 mm Hg

Flash point Not applicable.

Flammability (solid, gas) Not applicable.

Relative density ~ 1.03 @ 20°C

Solubility(ies) Soluble in water.

Auto-ignition temperature Not applicable.

Viscosity Non-viscous.

Explosive properties Not applicable.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index 40 - 43

Volatile organic compound This product contains a maximum VOC content of 10 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

EVOLUTION EV3 SURFACE CLEANER & SANITIZER

Possibility of hazardous

No specific material or group of materials is likely to react with the product to produce a

reactions hazardous situation.

10.4. Conditions to avoid

Conditions to avoid No specific requirements are anticipated under normal conditions of use.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information given is based on data of the components and of similar products. **Toxicological effects**

Acute toxicity - oral

ATE oral (mg/kg) 2,124.95

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Medical considerations Pre-existing eye problems. Skin disorders and allergies.

SECTION 12: Ecological information

Ecotoxicity The product contains substances which are toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity Harmful to Aquatic Organisms

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor.

Disposal methods Dispose of waste via a licensed waste disposal contractor. Following dilution, discharge to the

sewer with plenty of water may be permitted.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1760 UN No. (IMDG) 1760 UN No. (ICAO) 1760 UN No. (ADN) 1760

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

CORROSIVE LIQUID, N.O.S. CONTAINS BENZALKONIUM CHLORIDE

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S. CONTAINS BENZALKONIUM CHLORIDE

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S. CONTAINS BENZALKONIUM CHLORIDE

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S. CONTAINS BENZALKONIUM CHLORIDE

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 3

Emergency Action Code 2X

Hazard Identification Number

80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Guidance EH40/2005 Workplace exposure limits

Containing the list of workplace exposure limits for use with the Control of Substances

Hazardous to Health Regulations 2002 (as amended)

Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 27/01/2021

Revision 28

Supersedes date 27/01/2021

SDS number 10734

Hazard statements in full H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.